

New RepairBase Line Item additions for the 11-5-2018 Update

Foundations – Foundations

- Break concrete footing w/jack hammer - hourly
- Break concrete footing w/jack hammer - minimum charge
- Break concrete footing w/jack hammer 12" x 12" - reinforced - Per LF
- Break concrete footing w/jack hammer 12" x 16" - reinforced - Per LF
- Break concrete footing w/jack hammer 12" x 20" - reinforced - Per LF
- Break concrete footing w/jack hammer 12" x 24" - reinforced - Per LF
- Break concrete walls w/jack hammer 4" - reinforced - Per SF
- Break concrete walls w/jack hammer 6" - reinforced - Per SF
- Break concrete walls w/jack hammer 8" - reinforced - Per SF
- Break concrete walls w/jack hammer 10" - reinforced - Per SF
- Break concrete walls w/jack hammer 12" - reinforced - Per SF
- Concrete sawing - vertical - minimum charge
- Concrete sawing - vertical wall with CEC rebar - Per LF
- Concrete sawing - vertical wall with rebar - Per LF
- Cut rebar with acetylene torch - labor & equipment - per hour
- Cut reinforcing steel - per hour
- Load Broken Concrete onto Truck/Dumpster - By Hand
- Load Broken Concrete onto Truck/Dumpster - By Machine
- Dumpster Rental - 10 C.Y./10 Ton
- Hauling per Truck Load - up to 3 C.Y./1 Ton
- Concrete Pumping - Per Load
- Concrete wall forming - Per SF
- Hand trenching - 12"w x 12"d - Per LF
- Hand trenching - 12"w x 24"d - Per LF
- Hand trenching - 24"w x 12"d - Per LF
- Hand trenching - 24"w x 24"d - Per LF
- Machine trenching - 18"w x 24"d - Per LF
- Machine trenching - 24"w x 36"d - Per LF
- Move digging equipment onto site - minimum charge

New RepairBase Line Item additions for the 11-5-2018 Update

Foundations – Foundations

- Install new - footing - incl. forms & rebar - 12"w x 12"h - trenching not included - Per LF
- Install new - footing - incl. forms & rebar - 12"w x 18"h - trenching not included - Per LF
- Install new - footing - incl. forms & rebar - 12"w x 24"h - trenching not included - Per LF
- Install new - footing - incl. forms & rebar - 18"w x 18"h - trenching not included - Per LF
- Install new - footing - incl. forms & rebar - 18"w x 24"h - trenching not included - Per LF
- Install new - footing - incl. forms & rebar - 24"w x 24"h - trenching not included - Per LF
- Install new - 4" concrete wall - footing and forms not included - Per SF
- Install new - 6" concrete wall - footing and forms not included - Per SF
- Install new - 8" concrete wall - footing and forms not included - Per SF
- Install new - 10" concrete wall - footing and forms not included - Per SF
- Install new - 12" concrete wall - footing and forms not included - Per SF
- Install new - weight bearing block wall - grouted & #4 rebar - 2' o.c. 12" x 8" x 16" - does not include footing - Per SF
- Install new - weight bearing block wall - grouted & #4 rebar - 2' o.c. 6" x 8" x 16" - does not include footing - Per SF
- Install new - weight bearing block wall - grouted & #4 rebar - 2' o.c. 8" x 8" x 16" - does not include footing - Per SF

Landscaping – Trees & Shrubs

- Remove Tree Small up to 8" Diameter and 8' to 16' Tall - 1st Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Small up to 8" Diameter and 8' to 16' Tall - Each Added Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Medium 9" to 18" Diameter and 17' to 24' Tall - 1st Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Medium 9" to 18" Diameter and 17' to 24' Tall - Each Added Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Large 19" to 38" Diameter and 25' to 50' Tall - 1st Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Large 19" to 38" Diameter and 25' to 50' Tall - Each Added Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Giant 39" to 78" Diameter and 51' to 102' Tall - 1st Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Giant 39" to 78" Diameter and 51' to 102' Tall - Each Added Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included

New RepairBase Line Item additions for the 11-5-2018 Update

Pools & Hot Tubs – Maintenance

- Drain Pool Completely - up to 400 SF
- Drain Pool Completely - 400 SF to 600 SF
- Drain Pool Completely - 600 SF to 800 SF
- Drain Pool Completely - 800 SF to 1200 SF
- Remove In-Ground Pool Liner - Vinyl - Does not Include Draining or Prep - up to 400 SF
- Remove In-Ground Pool Liner - Vinyl - Does not Include Draining or Prep - up to 600 SF
- Remove In-Ground Pool Liner - Vinyl - Does not Include Draining or Prep - up to 800 SF
- Install New In-Ground Pool Liner - Vinyl - Includes Prep - Does not Include Draining, Removal of old Liner or Repairs - up to 400 SF
- Install New In-Ground Pool Liner - Vinyl - Includes Prep - Does not Include Draining, Removal of old Liner or Repairs - up to 600 SF
- Install New In-Ground Pool Liner - Vinyl - Includes Prep - Does not Include Draining, Removal of old Liner or Repairs - up to 800 SF
- Repair Bottom Crete for In-Ground Pool Liner - Vinyl - Does not Include Draining or Removal - up to 20 SF Minimum Charge
- Repair Bottom Crete for In-Ground Pool Liner - Vinyl - Does not Include Draining or Removal - over 20 SF Per SF

Roofing – Concrete Tiles

- Patch Flat Concrete Roof - Patch Cracks/Holes with High Strength Cement up to 1 SF - Does not include Disposal or Haul Away
- Patch Flat Concrete Roof - Patch Cracks/Holes with Hydraulic Cement up to 5 SF - Does not include Disposal or Haul Away
- Patch Flat Concrete Roof - Patch Cracks/Holes with Self Leveling Cement up to 25 SF - Does not include Disposal or Haul Away
- Seal Flat Concrete Roof - Siliconizer type product - First Coat Includes Primer - Does not include Removal of Roofing Material, Repairs or Haul Away
- Seal Flat Concrete Roof - Siliconizer type product - Each Additional Coat - Does not include Removal of Roofing Material, Repairs or Haul Away
- Seal Flat Concrete Roof - Urethanizer type product - First Coat Includes Primer - Does not include Removal of Roofing Material, Repairs or Haul Away
- Seal Flat Concrete Roof - Urethanizer type product - Each Additional Coat - Does not include Removal of Roofing Material, Repairs or Haul Away

Roofing – Flat Hot Mopped/Rubber

- Patch Flat Concrete Roof - Patch Cracks/Holes with High Strength Cement up to 1 SF - Does not include Disposal or Haul Away
- Patch Flat Concrete Roof - Patch Cracks/Holes with Hydraulic Cement up to 5 SF - Does not include Disposal or Haul Away
- Patch Flat Concrete Roof - Patch Cracks/Holes with Self Leveling Cement up to 25 SF - Does not include Disposal or Haul Away
- Seal Flat Concrete Roof - Siliconizer type product - First Coat Includes Primer - Does not include Removal of Roofing Material, Repairs or Haul Away
- Seal Flat Concrete Roof - Siliconizer type product - Each Additional Coat - Does not include Removal of Roofing Material, Repairs or Haul Away

New RepairBase Line Item additions for the 11-5-2018 Update

Roofing – Flat Hot Mopped/Rubber

- Seal Flat Concrete Roof - Urethanizer type product - First Coat Includes Primer - Does not include Removal of Roofing Material, Repairs or Haul Away
- Seal Flat Concrete Roof - Urethanizer type product - Each Additional Coat - Does not include Removal of Roofing Material, Repairs or Haul Away

Walls & Fascia – Exterior – Aluminum

- Remove Skirting - Does not Include Disposal - Per LF
- Install New - Skirting - Aluminum Panels - Per LF - up to 24"
- Install New - Skirting - Aluminum Panels - Per LF - up to 36"
- Install New - Skirting - Aluminum Panels - Per LF - up to 48"
- Install New - Skirting Access Panel - Good
- Install New - Skirting Access Panel - Better
- Install New - Skirting Vent - Good
- Install New - Skirting Vent - Better
- Install New - Skirting Vent – Best

Walls & Fascia – Exterior – Vinyl

- Remove Skirting - Does not Include Disposal - Per LF
- Install New - Skirting - Lattice - Wood or Vinyl - Per LF - up to 24"
- Install New - Skirting - Lattice - Wood or Vinyl - Per LF - up to 48"
- Install New - Skirting - Vinyl Panels - Insulated - Per LF - up to 24"
- Install New - Skirting - Vinyl Panels - Insulated - Per LF - up to 36"
- Install New - Skirting - Vinyl Panels - Insulated - Per LF - up to 48"
- Install New - Skirting - Vinyl Panels - Per LF - up to 24"
- Install New - Skirting - Vinyl Panels - Per LF - up to 36"
- Install New - Skirting - Vinyl Panels - Per LF - up to 48"
- Install New - Skirting Access Panel - Good
- Install New - Skirting Access Panel - Better
- Install New - Skirting Vent - Good
- Install New - Skirting Vent - Better
- Install New - Skirting Vent - Best

New RepairBase Line Item additions for the 11-5-2018 Update

Walls & Fascia – Exterior - Wood

- Remove Skirting - Does not Include Disposal - Per LF
- Install New - Skirting - Lattice - Wood or Vinyl - Per LF - up to 24"
- Install New - Skirting - Lattice - Wood or Vinyl - Per LF - up to 48"

Walls & Fascia – Exterior – Brick, Block & Stone

- Remove Skirting - Does not Include Disposal - Per LF
- Install New - Skirting - Imitation Stone or Brick Panels - Good - Per LF - up to 24"
- Install New - Skirting - Imitation Stone or Brick Panels - Good - Per LF - up to 36"
- Install New - Skirting - Imitation Stone or Brick Panels - Good - Per LF - up to 48"
- Install New - Skirting - Imitation Stone or Brick Panels - Better - Per LF - up to 24"
- Install New - Skirting - Imitation Stone or Brick Panels - Better - Per LF - up to 36"
- Install New - Skirting - Imitation Stone or Brick Panels - Better - Per LF - up to 48"
- Install New - Skirting - Imitation Stone or Brick Panels - Best - Per LF - up to 24"
- Install New - Skirting - Imitation Stone or Brick Panels - Best - Per LF - up to 36"
- Install New - Skirting - Imitation Stone or Brick Panels - Best - Per LF - up to 48"
- Install New - Skirting Access Panel - Good
- Install New - Skirting Access Panel - Better
- Install New - Skirting Vent - Good
- Install New - Skirting Vent - Better
- Install New - Skirting Vent - Best

Cleaning – Exterior – Pressure Washing

- Clean Roof - Flat Concrete - Sweep/Blow Debris and Moss from Roof - to 500 S.F. - Minimum Charge - Does not Include Disposal or Haul Away
- Clean Roof - Flat Concrete - Sweep/Blow Debris and Moss from Roof - to 1500 S.F. - Does not Include Disposal or Haul Away
- Clean Roof - Flat Concrete - Sweep/Blow Debris and Moss from Roof - to 2500 S.F. - Does not Include Disposal or Haul Away
- Clean Roof - Flat Concrete - Sweep/Blow Debris and Moss from Roof - to 3500 S.F. - Does not Include Disposal or Haul Away

New RepairBase Line Item additions for the 11-5-2018 Update

Cleaning – Exterior – Pressure Washing

- Pressure Wash Roof - Flat Concrete - to 500 SF - Minimum Charge
- Pressure Wash Roof - Flat Concrete - to 1,500 S.F.
- Pressure Wash Roof - Flat Concrete - to 2,500 S.F.
- Pressure Wash Roof - Flat Concrete - to 3,500 S.F.

Preservation & Maintenance – Securing – Pools & Spas

- Remove In-Ground Pool Liner - Vinyl - Does not Include Draining or Prep - up to 400 SF
- Remove In-Ground Pool Liner - Vinyl - Does not Include Draining or Prep - up to 600 SF
- Remove In-Ground Pool Liner - Vinyl - Does not Include Draining or Prep - up to 800 SF
- Repair Bottom Crete for In-Ground Pool Liner - Vinyl - Does not Include Draining or Removal - up to 20 SF Minimum Charge
- Repair Bottom Crete for In-Ground Pool Liner - Vinyl - Does not Include Draining or Removal - over 20 SF Per SF
- Install New In-Ground Pool Liner - Vinyl - Includes Prep - Does not Include Draining, Removal of old Liner or Repairs - up to 400 SF
- Install New In-Ground Pool Liner - Vinyl - Includes Prep - Does not Include Draining, Removal of old Liner or Repairs - up to 600 SF
- Install New In-Ground Pool Liner - Vinyl - Includes Prep - Does not Include Draining, Removal of old Liner or Repairs - up to 800 SF

Preservation & Maintenance – Yard Maintenance

- Remove Tree Small up to 8" Diameter and 8' to 16' Tall - 1st Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Small up to 8" Diameter and 8' to 16' Tall - Each Added Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Medium 9" to 18" Diameter and 17' to 24' Tall - 1st Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Medium 9" to 18" Diameter and 17' to 24' Tall - Each Added Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Large 19" to 38" Diameter and 25' to 50' Tall - 1st Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Large 19" to 38" Diameter and 25' to 50' Tall - Each Added Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Giant 39" to 78" Diameter and 51' to 102' Tall - 1st Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included
- Remove Tree Giant 39" to 78" Diameter and 51' to 102' Tall - Each Added Tree - Includes Clean Up of Clippings - Haul Away and Disposal Not Included