

New RepairBase Line Item additions for the 01-21-2013 Update

Hazardous Material Abatement - Services

- CDL Methamphetamine and Other Illicit Drug Sampling (Certified Lab Analysis) - Includes 4 Test containers & 4 Lab Results
- CDL Methamphetamine Sampling (Certified Lab Analysis) - Includes 1 Test Container & 1 Lab Result
- CDL (Certified Drug Lab) Emergency Response Team - Weekends/Holidays - Includes 2 Men, Truck, Equipment & Chemicals
- Certified Industrial Hygienist - If Required by Regulation - Pre & Post Assessment/Decontamination/Report Generation - Per HR
- CDL (Certified Drug Lab) Trained & Certified Technician - Per HR
- CDL (Certified Drug Lab) Trained & Certified Supervisor - Per HR
- CDL (Certified Drug Lab) Emergency Response Team - Includes 2 Men, Truck, Equipment & Chemicals

Plumbing - Service Lines (New Sub Category)

- Replace Service Line - Gas - HDPE Pipe up to 1.5" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Gas - HDPE Pipe up to 1.5" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work - Up to 20 LF
- Replace Service Line - Gas - HDPE Pipe up to 1" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Gas - HDPE Pipe up to 1" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work - Up to 20 LF
- Replace Service Line - Gas - HDPE Pipe up to 3/4" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Gas - HDPE Pipe up to 3/4" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work - Up to 20 LF
- Replace Service Line - Gas - Coated Iron Pipe up to 1.5" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Gas - Coated Iron Pipe up to 1.5" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work - Up to 20 LF
- Replace Service Line - Gas - Coated Iron Pipe up to 1" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work -Per LF Over 20 LF
- Replace Service Line - Gas - Coated Iron Pipe up to 1" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work - Up to 20 LF
- Replace Service Line - Gas - Coated Iron Pipe up to 3/4" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Gas - Coated Iron Pipe up to 3/4" - Lay, Connect and Test Main Gas Line - Does not Include Trenching or Meter Work - Up to 20 LF

New RepairBase Line Item additions for the 01-21-2013 Update

- Replace Service Line - Water - PE/PVC Pipe up to 2" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Water - PE/PVC Pipe up to 2" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Up to 20 LF
- Replace Service Line - Water - PE/PVC Pipe up to 1.5" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Water - PE/PVC Pipe up to 1.5" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Up to 20 LF
- Replace Service Line - Water - PE/PVC Pipe up to 1" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Water - PE/PVC Pipe up to 1" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Up to 20 LF
- Replace Service Line - Water - PEX up to 2" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Water - PEX up to 2" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Up to 20 LF
- Replace Service Line - Water - PEX up to 1.5" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Water - PEX up to 1.5" - Lay, Connect and Test Main Water Line - Does not Include Trenching Or Meter Work - Up to 20 LF
- Replace Service Line - Water - PEX up to 1" - Lay, Connect and Test Main Water Line - Does not Include Trenching Or Meter Work - Per LF Over 20 LF
- Replace Service Line - Water - PEX up to 1" - Lay, Connect and Test Main Water Line - Does not Include Trenching Or Meter Work - Up to 20 LF
- Replace Service Line - Water - Copper Pipe up to 2" - Lay, Connect and Test Main Water Line - Does not Include Trenching Or Meter Work - Per LF Over 20 LF
- Replace Service Line - Water - Copper Pipe up to 2" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Up to 20 LF
- Replace Service Line - Water - Copper Pipe up to 1.5" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Water - Copper Pipe up to 1.5" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Up to 20 LF
- Replace Service Line - Water - Copper Pipe up to 1" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Per LF Over 20 LF
- Replace Service Line - Water - Copper Pipe up to 1" - Lay, Connect and Test Main Water Line - Does not Include Trenching or Meter Work - Up to 20 LF

New RepairBase Line Item additions for the 01-21-2013 Update

Preservation & Maintenance - Winterization

- Re-Winterize Wet (Radiant) Heat Unit - Each Additional Unit
- Re-Winterize Wet (Radiant) Heat Unit - 1st Unit
- Re-Winterize Wet (Steam) Heat Unit - Each Additional Unit
- Re-Winterize Wet (Steam) Heat Unit - 1st Unit
- Re-Winterize Dry Heat Unit - Each Additional Unit
- Re-Winterize Dry Heat Unit - 1st Unit

Preservation & Maintenance - Inspections

- Fire and or Police Reports

Preservation & Maintenance - Health & Safety

- Remove Broken Light Bulb - From Hard to Reach Area (i.e. High Wall/Ceiling or 2 Story Fixture) - Does not include Replacement of Bulb - Per Fixture
- Remove Broken Light Bulb - From Standard Height Wall or Ceiling - Does not include Replacement of Bulb - Per Fixture

Doors - Storm & Security Doors

- Replace Storm Door Latch/Handle - Best - Includes Removal and Replacement
- Replace Storm Door Latch/Handle - Better - Includes Removal and Replacement
- Replace Storm Door Latch/Handle - Good - Includes Removal and Replacement
- Replace Storm Door Latch/Handle - Economy - Includes Removal and Replacement

Preservation & Maintenance - Yard Maintenance

- Continued Maintenance of Desert Landscaping - Includes Removing/Pulling/Spraying Weeds, Removing Tumble Weeds and Trimming Grass Each Additional 1,000 SF
- Continued Maintenance of Desert Landscaping - Includes Removing/Pulling/Spraying Weeds, Removing Tumble Weeds and Trimming Grass up to 5,000 SF
- Initial Maintenance of Desert Landscaping - Includes Removing/Pulling/Spraying Weeds, Removing Tumble Weeds and Trimming Grass Each Additional 1,000 SF

New RepairBase Line Item additions for the 01-21-2013 Update

- Initial Maintenance of Desert Landscaping - Includes Removing/Pulling/Spraying Weeds, Removing Tumble Weeds and Trimming Grass up to 5,000 SF

Interior Painting, Exterior Painting, Preservation & Maintenance - Walls & Ceilings, Exterior Walls, Securing Doors & Windows

- Seal/Caulk Exposed Gap or Crack - Each Additional LF - Includes Prep, Sealant/Caulking, and Finishing
- Seal/Caulk Exposed Gap or Crack - First 25 LF - Includes Prep, Sealant/Caulking, and Finishing

Cleaning Exterior, Cleaning Interior - Debris Removal, Entire House

- Remove Debris/Trash - (Per Cubic Yard) - Per Cubic Yard

Carpet & Structure Drying - Equipment

- Dehumidifier Small 30 pints - (To Be Left on site)
- Dehumidifier Large 130 pints - (To Be Left on site)
- Dehumidifier Medium 70 pints - (To Be Left on site)
- Dehumidifier Medium 60 pints - (To Be Left on site)
- Dehumidifier Small 50 pints - (To Be Left on site)
- Dehumidifier Small 40 pints - (To Be Left on site)

Preservation & Maintenance - Debris Removal

- Demolish and Remove Complete - Brick or Block Structure 1st Story - Not Including Foundation - Including Equipment, Permits & Debris Removal
- Demolish and Remove Complete - Stucco Structure 1st Story - Not Including Foundation - Including Equipment, Permits & Debris Removal
- Demolish and Remove Complete - Wood Structure 1st Story - Not Including Foundation - Including Equipment, Permits & Debris Removal
- Demolish and Remove Complete - Brick or Block Structure - Each Additional Story - Including Equipment, Permits & Debris Removal
- Demolish and Remove Complete - Brick or Block Structure 1st Story - Including Equipment, Foundation, Permits & Debris Removal
- Demolish and Remove Complete - Stucco Structure - Each Additional Story - Including Equipment, Permits & Debris Removal
- Demolish and Remove Complete - Stucco Structure 1st Story - Including Equipment, Foundation, Permits & Debris Removal
- Demolish and Remove Complete - Wood Structure - Each Additional Story - Including Equipment, Permits & Debris Removal
- Demolish and Remove Complete - Wood Structure 1st Story - Including Equipment, Foundation, Permits & Debris Removal

New RepairBase Line Item additions for the 01-21-2013 Update

Plumbing - Water Heaters/Softeners

- Replace Water Heater Earthquake Straps (Required in Some States i.e. CA) By Licensed Plumber

Heating & Cooling - Wood Stoves (New Sub Category)

- Replace Wood Stove - Vertical Vent Stack - Roof Cap Only - up to 4" Diameter - EA
- Replace Wood Stove Venting - 4" Double Walled Stainless Steel - Pipe Only - Per LF
- Replace Wood Stove Venting - 4" Double Walled Stainless Steel Kit - Includes 5' of Pipe, Heat Shield and Exterior Hood
- Replace Wood Stove Venting - 3" Double Walled Stainless Steel - Pipe Only - Per LF
- Replace Wood Stove Venting - 3" Double Walled Stainless Steel Kit - Includes 5' of Pipe, Heat Shield and Exterior Hood
- Replace Log or Pellet Wood Stove - Fireplace Insert - Does not Include New Venting or Removal of Old Unit - Large - Heats up to 2200 SF
- Replace Log or Pellet Wood Stove - Fireplace Insert - Does not Include New Venting or Removal of Old Unit - Medium - Heats up to 1600 SF
- Replace Log or Pellet Wood Stove - Fireplace Insert - Does not Include New Venting or Removal of Old Unit - Small - Heats up to 1000 SF
- Replace Log or Pellet Wood Stove - Free Standing - Does not Include New Venting or Removal of Old Unit - Large - Heats up to 2200 SF
- Replace Log or Pellet Wood Stove - Free Standing - Does not Include New Venting or Removal of Old Unit - Medium - Heats up to 1600 SF
- Replace Log or Pellet Wood Stove - Free Standing - Does not Include New Venting or Removal of Old Unit - Small - Heats up to 1000 SF
- Remove Log or Pellet Wood Stove - Vent Pipe only - Does not Include Removal of Stove, Haul Away or Disposal - Per LF
- Remove Log or Pellet Wood Stove - Fireplace Insert - Large - Does not Include Removal of Venting, Haul Away or Disposal - Per Stove
- Remove Log or Pellet Wood Stove - Fireplace Insert - Medium - Does not Include Removal of Venting, Haul Away or Disposal - Per Stove
- Remove Log or Pellet Wood Stove - Fireplace Insert - Small - Does not Include Removal of Venting, Haul Away or Disposal - Per Stove
- Remove Log or Pellet Wood Stove - Free Standing - Large - Does not Include Removal of Venting, Haul Away or Disposal - Per Stove
- Remove Log or Pellet Wood Stove - Free Standing - Medium - Does not Include Removal of Venting, Haul Away or Disposal - Per Stove
- Remove Log or Pellet Wood Stove - Free Standing - Small - Does not Include Removal of Venting, Haul Away or Disposal - Per Stove

Landscaping - General Items

- Equipment Rental - 20" Chainsaw - Per Day
- Equipment Rental - Wood Chipper - 12" Drum Style - Per Day
- Equipment Rental - Wood Chipper - 6" Drum Style - Per Day

New RepairBase Line Item additions for the 01-21-2013 Update

Framing, Decks & Piling - Floors

- Install Permanent Floor Support - Adjustable Steel Jack Post - up to 8' Tall - Per Jack Post

Framing, Decks & Piling - Roofs

- Repair Roof Truss - Brace Both Sides and Fasten Through - Limited Access or Confined Attic Space - Per Braced Section
- Repair Roof Truss - Brace Both Sides and Fasten Through - Easily Accessible - Per Braced Section

Cabinets & Shelves - Cabinet Doors, Drawers & Shelves

- Replace Cabinet Side/End Panel - Best
- Replace Cabinet Side/End Panel - Better
- Replace Cabinet Side/End Panel - Good
- Replace Cabinet Side/End Panel – Economy

Cabinets & Shelves - Kitchen Cabinets, Bathroom Cabinets & Vanities

- Secure Loose Cabinet Side/End Panel - Per Panel
- Secure Loose Cabinet Door/Drawer - Per Door/Drawer
- Secure Loose Cabinet - Per Cabinet - Large
- Secure Loose Cabinet - Per Cabinet - Medium
- Secure Loose Cabinet - Per Cabinet – Small

Cabinets & Shelves - General Cabinets (New Sub Category)

- Replace Wall Unit/Entertainment Center Cabinets - Designer - Per LF
- Replace Wall Unit/Entertainment Center Cabinets - Best - Per LF
- Replace Wall Unit/Entertainment Center Cabinets - Better - Per LF
- Replace Wall Unit/Entertainment Center Cabinets - Good - Per LF
- Replace General Cabinets - Designer - Per LF
- Replace General Cabinets - Best - Per LF
- Replace General Cabinets - Better - Per LF
- Replace General Cabinets - Good - Per LF

New RepairBase Line Item additions for the 01-21-2013 Update

- Replace General Cabinets - Economy - Per LF

Preservation & Maintenance, Landscaping - Yard Maintenance, Vine Removal (New Sub Category)

- Remove and Bag Non Poisonous Vines - On the Ground up to 4' Tall - Remove Vines, Roots and Leaves - Disposal Not Included - Per SF
- Remove and Bag Non Poisonous Vines - On the Ground up to 4' Tall - Remove Vines, Roots and Leaves - Disposal Not Included - First 20 SF
- Remove and Bag Non Poisonous Vines - On the Ground up to 2' Tall - Remove Vines, Roots and Leaves - Disposal Not Included - Per SF
- Remove and Bag Non Poisonous Vines - On the Ground up to 2' Tall - Remove Vines, Roots and Leaves - Disposal Not Included - First 20 SF
- Remove and Bag Non Poisonous Vines - On the Ground up to 1' Tall - Remove Vines, Roots and Leaves - Disposal Not Included - Per SF
- Remove and Bag Non Poisonous Vines - On the Ground up to 1' Tall - Remove Vines, Roots and Leaves - Disposal Not Included- First 20 SF
- Remove and Bag Non Poisonous Vines - Vertically up to 24' Tall - Remove Vines, Roots and Leaves - Disposal Not Included - Per LF
- Remove and Bag Non Poisonous Vines - Vertically up to 24' Tall - Remove Vines, Roots and Leaves - Disposal Not Included - First 10 LF
- Remove and Bag Non Poisonous Vines - Vertically up to 16' Tall - Remove Vines, Roots and Leaves - Disposal Not Included - Per LF
- Remove and Bag Non Poisonous Vines - Vertically up to 16' Tall - Remove Vines, Roots and Leaves - Disposal Not Included - First 10 LF
- Remove and Bag Non Poisonous Vines - Vertically up to 8' Tall - Remove Vines, Roots and Leaves - Disposal Not Included - Per LF
- Remove and Bag Non Poisonous Vines - Vertically up to 8' Tall - Remove Vines, Roots and Leaves - Disposal Not Included - First 10 LF
- Remove and Bag Poisonous Vines - On the Ground up to 4' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - Per SF
- Remove and Bag Poisonous Vines - On the Ground up to 4' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - First 20 SF
- Remove and Bag Poisonous Vines - On the Ground up to 2' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - Per SF
- Remove and Bag Poisonous Vines - On the Ground up to 2' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - First 20 SF
- Remove and Bag Poisonous Vines - On the Ground up to 1' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - Per SF
- Remove and Bag Poisonous Vines - On the Ground up to 1' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - First 20 SF
- Remove and Bag Poisonous Vines - Vertically up to 24' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - Per LF
- Remove and Bag Poisonous Vines - Vertically up to 24' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - First 10 LF
- Remove and Bag Poisonous Vines - Vertically up to 16' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - Per LF
- Remove and Bag Poisonous Vines - Vertically up to 16' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - First 10 LF
- Remove and Bag Poisonous Vines - Vertically up to 8' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - Per LF
- Remove and Bag Poisonous Vines - Vertically up to 8' Tall - Remove Vines, Roots and Leaves - Includes PPE - Disposal Not Included - First 10 LF
- Remove and Bag Non Poisonous Bushes or Shrubs - 6' to 8' Wide X 8' Tall - Remove Branches, Roots & Leaves - Disposal Not Included - Per Shrub
- Remove and Bag Non Poisonous Bushes or Shrubs - 4' to 6' Wide X 6' Tall - Remove Branches, Roots & Leaves - Disposal Not Included - Per Shrub

New RepairBase Line Item additions for the 01-21-2013 Update

- Remove and Bag Non Poisonous Bushes or Shrubs - 2' to 4' Wide X 4' Tall - Remove Branches, Roots & Leaves - Disposal Not Included - Per Shrub
- Remove and Bag Non Poisonous Bushes or Shrubs - up to 2' Wide X 2' Tall - Remove Branches, Roots & Leaves - Disposal Not Included - Per Shrub
- Remove and Bag Poisonous Bushes or Shrubs - 6' to 8' Wide X 8' Tall - Remove Branches, Roots & Leaves - Includes PPE - Disposal Not Included - EA Add Shrub
- Remove and Bag Poisonous Bushes or Shrubs - 6' to 8' Wide X 8' Tall - Remove Branches, Roots & Leaves - Includes PPE - Disposal Not Included - First Shrub
- Remove and Bag Poisonous Bushes or Shrubs - 4' to 6' Wide X 6' Tall - Remove Branches, Roots & Leaves - Includes PPE - Disposal Not Included - EA Add Shrub
- Remove and Bag Poisonous Bushes or Shrubs - 4' to 6' Wide X 6' Tall - Remove Branches, Roots & Leaves - Includes PPE - Disposal Not Included - First Shrub
- Remove and Bag Poisonous Bushes or Shrubs - 2' to 4' Wide X 4' Tall - Remove Branches, Roots & Leaves - Includes PPE - Disposal Not Included - EA Add Shrub
- Remove and Bag Poisonous Bushes or Shrubs - 2' to 4' Wide X 4' Tall - Remove Branches, Roots & Leaves - Includes PPE - Disposal Not Included - First Shrub
- Remove and Bag Poisonous Bushes or Shrubs - up to 2' Wide X 2' Tall - Remove Branches, Roots & Leaves - Includes PPE - Disposal Not Included - EA Add Shrub

Heating & Cooling - Air Conditioning

- Remove Extra Large Window Air Conditioner Unit Second Story - 18 IN High X 30 IN Wide and 150 LBS - Does not include Repairing Window, Disposal or Boarding
- Remove Extra Large Window Air Conditioner Unit First Story - 18 IN High X 30 IN Wide and 150 LBS - Does not include Repairing Window, Disposal or Boarding
- Remove Window Air Conditioner Unit Second Story - up to 18 IN High X 24 IN Wide & 100 LBS - Does not include Repairing Window, Disposal or Boarding of Opening
- Remove Window Air Conditioner Unit First Story - up to 18 IN High X 24 IN Wide & 100 LBS - Does not include Repairing Window, Disposal or Boarding of Opening

Insulation - Spray Foam Insulation (New Sub Category)

- Spray Foam Insulation Exterior Wall Sheathing - over 200 SF - Includes up to 2" Furring Strips Does not Include Removing or Replacing Exterior Finish - Per SF
- Spray Foam Insulation on Exterior Wall Sheathing - up to 200 SF - Includes up to 2" Furring Strips Does not Include Removing or Replacing Exterior Finish

New RepairBase Line Item additions for the 01-21-2013 Update

- Spray Foam Insulation Exposed Underside of Crawl Space Deck Framing - Over 200 SF - Does not Include Removing or Replacing Interior or Exterior Finish - Per SF
- Spray Foam Insulation on Exposed Underside of Crawl Space Deck Framing - up to 200 SF - Does not Include Removing or Replacing Interior or Exterior Finish
- Spray Foam Insulation on Exposed Underside of Roof Deck Framing - Over 200 SF - Does not Include Removing or Replacing Interior or Exterior Finish - Per SF
- Spray Foam Insulation on Exposed Underside of Roof Deck Framing - up to 200 SF - Does not Include Removing or Replacing Interior or Exterior Finish
- Spray Foam Insulation on Exposed Attic Framing - Over 200 SF - Does not Include Removing or Replacing Interior or Exterior Finish - Per SF
- Spray Foam Insulation on Exposed Attic Framing - up to 200 SF - Does not Include Removing or Replacing Interior or Exterior Finish - Minimum Charge
- Spray Foam Insulation on Exposed Wall Framing - Over 200 SF - Does not Include Removing or Replacing Interior or Exterior Finish - Per SF
- Spray Foam Insulation on Exposed Wall Framing - up to 200 SF - Does not Include Removing or Replacing Interior or Exterior Finish - Minimum Charge

Carpet & Structure Drying - Services

- Pump Water from Basement or Below Ground level Structure - Using a 2" - 3" 5000 GPH Electrical Pump- Includes Continuous Onsite Monitoring & Electrical - Per HR
- Pump Water from Basement or Below Ground level Structure - Using a 2" - 3" 5000 GPH Electrical Pump - Includes Continuous Onsite Monitoring & Electrical
- Pump Water from Basement or Below Ground level Structure - Using a 2" - 3" 12,000 GPH Gas Powered Pump - Includes Continuous Onsite Monitoring - Per HR
- Pump Water from Basement or Below Ground level Structure - Using a 2" - 3" 12,000 GPH Gas Powered Pump - Includes Setup, Continuous Onsite Monitoring

New RepairBase Line Item additions for the 01-21-2013 Update

Heating & Cooling - Hydronic Radiators (New Sub Category)

- Replace Hydronic Radiator Wall Hanging Brackets - Includes Removal of old Brackets, Pressure Testing System
- Replace Radiator Full Cover Safety Panel - Wall or Floor Mounted - Includes Mounting Brackets and Installation
- Replace Thermostatic Radiator Control Valve - Wall or Floor Mounted - Includes Draining, Pressure Testing System
- Replace Double Panel and Double Convactor Hydronic Radiator Heater - Wall or Floor Mounted - up to 16000 BTU - Does not Include Replacing any Existing Plumbing
- Replace Double Panel and Double Convactor Hydronic Radiator Heater - Wall or Floor Mounted - up to 13000 BTU - Does not Include Replacing any Existing Plumbing
- Replace Double Panel and Double Convactor Hydronic Radiator Heater - Wall or Floor Mounted - up to 10000 BTU - Does not Include Replacing any Existing Plumbing
- Replace Double Panel and Double Convactor Hydronic Radiator Heater - Wall or Floor Mounted - up to 7500 BTU - Does not Include Replacing any Existing Plumbing
- Replace Double Panel and Double Convactor Hydronic Radiator Heater - Wall or Floor Mounted - up to 3200 BTU - Does not Include Replacing any Existing Plumbing
- Replace Double Panel - Single Convactor Hydronic Radiator Heater - Wall or Floor Mounted - up to 11000 BTU - Does not Include Replacing any Existing Plumbing
- Replace Double Panel - Single Convactor Hydronic Radiator Heater - Wall or Floor Mounted - up to 6700 BTU - Does not Include Replacing any Existing Plumbing
- Replace Double Panel - Single Convactor Hydronic Radiator Heater - Wall or Floor Mounted - up to 4500 BTU - Does not Include Replacing any Existing Plumbing
- Replace Double Panel - Single Convactor Hydronic Radiator Heater - Wall or Floor Mounted - up to 2600 BTU - Does not Include Replacing any Existing Plumbing
- Replace Classic Hydronic Radiator Heater - Wall or Floor Mounted - up to 4200 BTU - Does not Include Replacing any Existing Plumbing
- Replace Classic Hydronic Radiator Heater - Wall or Floor Mounted - up to 3500 BTU - Does not Include Replacing any Existing Plumbing
- Replace Classic Hydronic Radiator Heater - Wall or Floor Mounted - up to 2700 BTU - Does not Include Replacing any Existing Plumbing
- Replace Classic Hydronic Radiator Heater - Wall or Floor Mounted - up to 2000 BTU - Does not Include Replacing any Existing Plumbing
- Remove Large Hydronic Radiator Heater - Wall or Floor Mounted - Includes Disconnect, Draining, Capping of all Plumbing - Disposal Not Included
- Remove Medium Hydronic Radiator Heater - Wall or Floor Mounted - Includes Disconnect, Draining, Capping of all Plumbing - Disposal Not Included
- Remove Small Hydronic Radiator Heater - Wall or Floor Mounted - Includes Disconnect, Draining, Capping of all Plumbing - Disposal Not Included

New RepairBase Line Item additions for the 01-21-2013 Update

Plumbing - Laundry/Utility Sinks (New Sub Category)

- Replace Laundry/Utility Sink - Drop In/Rimless - Double - Best - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Drop In/Rimless - Double - Better - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Drop In/Rimless - Double - Good - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Drop In/Rimless - Double - Economy - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Drop In/Rimless - Single - Best - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Drop In/Rimless - Single - Better - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Drop In/Rimless - Single - Good - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Drop In/Rimless - Single - Economy - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Wall Hanging - Double - Best - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Wall Hanging - Double - Better - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Wall Hanging - Double - Good - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Wall Hanging - Single - Best - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Wall Hanging - Single - Better - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Wall Hanging - Single - Good - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Wall Hanging - Single - Economy - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Stand Alone - Double - Best - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Stand Alone - Double - Better - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Stand Alone - Double - Good - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Stand Alone - Double - Economy - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Stand Alone - Single - Best - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Stand Alone - Single - Better - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Stand Alone - Single - Good - Does Not Include New Faucets, Drains or Haul Away
- Replace Laundry/Utility Sink - Stand Alone - Single - Economy - Does Not Include New Faucets, Drains or Haul Away
- Remove Laundry/Utility Sink - Drop In/Rimless - Double - Does Not Include Haul Away
- Remove Laundry/Utility Sink - Drop In/Rimless - Single - Does Not Include Haul Away
- Remove Laundry/Utility Sink - Wall Hanging - Double - Does Not Include Haul Away
- Remove Laundry/Utility Sink - Wall Hanging - Single - Does Not Include Haul Away
- Remove Laundry/Utility Sink - Stand Alone - Double - Does Not Include Haul Away
- Remove Laundry/Utility Sink - Stand Alone - Single - Does Not Include Haul Away

New RepairBase Line Item additions for the 01-21-2013 Update

Walls & Ceilings Interior - Drywall & Plaster

- Remove - Plaster - From Ceilings - Clean and prep for New Installation - Does not Include Haul Away or Disposal - over 80 SF - Per SF
- Remove - Plaster - From Ceilings - Clean and prep for New Installation - Does not Include Haul Away or Disposal - up to 80 SF (Minimum Charge)
- Remove - Plaster - From Ceilings - Clean and prep for New Installation - Does not Include Haul Away or Disposal - up to 30 SF (Minimum Charge)
- Remove - Plaster - From Walls - Clean and prep for New Installation - Does not Include Haul Away or Disposal - over 80 SF - Per SF
- Remove - Plaster - From Walls - Clean and prep for New Installation - Does not Include Haul Away or Disposal - up to 80 SF (Minimum Charge)
- Remove - Plaster - From Walls - Clean and prep for New Installation - Does not Include Haul Away or Disposal - up to 30 SF (Minimum Charge)

Preservation & Maintenance - Securing Doors & Windows

- Cut and Remove Chain, Pad Lock and or Latch to Gain Access to Property

Fences & Gates - Gates

- Replace Wood/Vinyl/Wrought Iron Gate Hinge - Spring Loaded - Single Hinge - Designer - Per Hinge - Includes Removal of Old Hinge
- Replace Wood/Vinyl/Wrought Iron Gate Hinge - Spring Loaded - Single Hinge - Best - Per Hinge - Includes Removal of Old Hinge
- Replace Wood/Vinyl/Wrought Iron Gate Hinge - Spring Loaded - Single Hinge - Better - Per Hinge - Includes Removal of Old Hinge
- Replace Wood/Vinyl/Wrought Iron Gate Hinge - Spring Loaded - Single Hinge - Good - Per Hinge - Includes Removal of Old Hinge
- Replace Wood/Vinyl/Wrought Iron Gate Hinge - Spring Loaded - Single Hinge - Economy - Per Hinge - Includes Removal of Old Hinge
- Replace Wood/Vinyl/Wrought Iron Gate Hinge - Single Hinge - Designer - Per Hinge - Includes Removal of Old Hinge
- Replace Wood/Vinyl/Wrought Iron Gate Hinge - Single Hinge - Best - Per Hinge - Includes Removal of Old Hinge
- Replace Wood/Vinyl/Wrought Iron Gate Hinge - Single Hinge - Better - Per Hinge - Includes Removal of Old Hinge
- Replace Wood/Vinyl/Wrought Iron Gate Hinge - Single Hinge - Good - Per Hinge - Includes Removal of Old Hinge
- Replace Wood/Vinyl/Wrought Iron Gate Hinge - Single Hinge - Economy - Per Hinge - Includes Removal of Old Hinge
- Replace Chain Link Fence Hinge - Single Hinge - Per Hinge - Includes Removal of Old Hinge

Preservation & Maintenance - Securing Doors & Windows

- Re-secure Boarded up Door - Garage - Double Opening - 3/4" Plywood or Equivalent - Using Existing Wood
- Re-secure Boarded up Door - Garage - Single Opening - 3/4" Plywood or Equivalent - Using Existing Wood
- Re-secure Boarded up Door - Double Door Opening - 3/4" Plywood or Equivalent - Using Existing Wood
- Re-secure Boarded up Door - Single Door Opening - 5/8" Plywood or Equivalent - Using Existing Wood
- Re-secure Boarded up Window - Extra Large - to 28 SF - 3/4" Plywood or Equivalent - Using Existing Wood

New RepairBase Line Item additions for the 01-21-2013 Update

- Re-secure Boarded up Window - Large - to 18 SF - 5/8" Plywood or Equivalent - Using Existing Wood
- Re-secure Boarded up Window - Medium - to 12 SF - 1/2" Plywood or Equivalent - Using Existing Wood
- Re-secure Boarded up Window - Small - to 6 SF - 1/2" Plywood or Equivalent - Using Existing Wood

Preservation & Maintenance - Securing Doors & Windows

- Replace or Install Padlock Only - Includes Cutting or Removing Old Lock if Necessary

Preservation & Maintenance - Securing Doors & Windows

- Replace Eye Latch Only - for Hasp Lock - Includes Removal of Old if Necessary

Preservation & Maintenance - Securing Doors & Windows

- Repair Exterior Door Jamb - Using Minimal Materials - Temporary use only

Preservation & Maintenance - Securing Roofs

- Remove Roof Tarp and Furring Strips - Over 1400 SF - Per SF - 2 Story - Steep Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 1400 SF - 2 Story - Steep Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 800 SF - 2 Story - Steep Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 400 SF - 2 Story - Steep Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 200 SF - 2 Story - Steep Pitch Roof
- Remove Roof Tarp and Furring Strips - Over 1400 SF - Per SF - 1 Story - Steep Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 1400 SF - 1 Story - Steep Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 800 SF - 1 Story - Steep Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 400 SF - 1 Story - Steep Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 200 SF - 1 Story - Steep Pitch Roof
- Remove Roof Tarp and Furring Strips - Over 1400 SF - Per SF - 2 Story - Moderate Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 1400 SF - 2 Story - Moderate Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 800 SF - 2 Story - Moderate Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 400 SF - 2 Story - Moderate Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 200 SF - 2 Story - Moderate Pitch Roof
- Remove Roof Tarp and Furring Strips - Over 1400 SF - Per SF - 1 Story - Moderate Pitch Roof

New RepairBase Line Item additions for the 01-21-2013 Update

- Remove Roof Tarp and Furring Strips - up to 1400 SF - 1 Story - Moderate Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 800 SF - 1 Story - Moderate Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 400 SF - 1 Story - Moderate Pitch Roof
- Remove Roof Tarp and Furring Strips - up to 200 SF - 1 Story - Moderate Pitch Roof

Plumbing - Water Heaters/Softeners

- Drain Water Heater - 75 Gallons
- Drain Water Heater - 50 to 60 Gallons
- Drain Water Heater - 30 to 40 Gallons
- Drain Water Heater - to 20 Gallons