

# New Repairbase Line Item additions for the 01-01-2012 Update

---

## *Retaining Walls*

Replace Wood Retaining Wall - (Horizontal Staggered Joint Treated Timbers. 6"x6") up to 18" Tall With No Batter Or Deadman Tiebacks - Good

Replace Wood Retaining Wall - (Horizontal Staggered Joint Treated Timbers. 6"x6") up to 4' Tall With Deadman Tiebacks - Better

Replace Wood Retaining Wall - (Treated Wood 4"x6"x8' Soldier Piles and Treated Wood 4"x6"x8' Sleepers) up to 4' Tall with Deadman Tiebacks - Best

Replace Stack and Mortar - Man Made - Block Retaining Wall - Good

Replace Dry Stack Stone or Boulder - Natural Stone - Block Retaining Wall - Good

Replace Interlocking - (Modular/Segment) Concrete Block Retaining Wall - Better

## *Snow Removal – New Category & Sub Categories*

Remove Snow - up to 3" Deep - Standard 4 Ft Wide Walkway - With Shovel - up to 20 LF Ft in Length - Does Not include Offsite Removal

Remove Snow - up to 6" Deep - Standard 4 Ft Wide Walkway - With Shovel - up to 20 LF Ft in Length - Does Not include Offsite Removal

Remove Snow - up to 12" Deep - Standard 4 Ft Wide Walkway - With Shovel - up to 20 LF Ft in Length - Does Not include Offsite Removal

Remove Snow - up to 18" Deep - Standard 4 Ft Wide Walkway - With Shovel - up to 20 LF Ft in Length - Does Not include Offsite Removal

Remove Snow - up to 3" Deep - Standard 4 Ft Wide Walkway - With Shovel - Each Additional 20 LF Ft Section - Does Not include Offsite Removal

Remove Snow - up to 6" Deep - Standard 4 Ft Wide Walkway - With Shovel - Each Additional 20 LF Ft Section- Does Not include Offsite Removal

Remove Snow - up to 12" Deep - Standard 4 Ft Wide Walkway - With Shovel - Each Additional 20 LF Ft Section - Does Not include Offsite Removal

Remove Snow - up to 18" Deep - Standard 4 Ft Wide Walkway - With Shovel - Each Additional 20 LF Ft Section - Does Not include Offsite Removal

Remove Snow - up to 3" Deep - Standard 4 Ft Wide Walkway - With Snow Blower - up to 20 LF Ft in Length - Does Not include Offsite Removal

Remove Snow - up to 6" Deep - Standard 4 Ft Wide Walkway - With Snow Blower - up to 20 LF Ft in Length - Does Not include Offsite Removal

Remove Snow - up to 12" Deep - Standard 4 Ft Wide Walkway - With Snow Blower - up to 20 LF Ft in Length - Does Not include Offsite Removal

Remove Snow - up to 18" Deep - Standard 4 Ft Wide Walkway - With Snow Blower - up to 20 LF Ft in Length - Does Not include Offsite Removal

Remove Snow - up to 3" Deep - Standard 4 Ft Wide Walkway - With Snow Blower - Each Additional 20 LF Ft Section - Does Not include Offsite Removal

# New Repairbase Line Item additions for the 01-01-2012 Update

---

Remove Snow - up to 6" Deep - Standard 4 Ft Wide Walkway - With Snow Blower - Each Additional 20 LF Ft Section- Does Not include Offsite Removal  
Remove Snow - up to 12" Deep - Standard 4 Ft Wide Walkway - With Snow Blower - Each Additional 20 LF Ft Section - Does Not include Offsite Removal  
Remove Snow - up to 18" Deep - Standard 4 Ft Wide Walkway - With Snow Blower - Each Additional 20 LF Ft Section - Does Not include Offsite Removal  
Remove Snow - up to 3" Deep - Driveway - With Shovel - up to 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 6" Deep - Driveway - With Shovel - up to 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 12" Deep - Driveway - With Shovel - up to 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 18" Deep - Driveway - With Shovel - up to 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 3" Deep - Driveway - With Shovel - up to 400 SF or 2 car - Does Not Include Off Site Removal  
Remove Snow - up to 6" Deep - Driveway - With Shovel - up to 400 SF or 2 car - Does Not Include Off Site Removal  
Remove Snow - up to 12" Deep - Driveway - With Shovel - up to 400 SF or 2 car - Does Not Include Off Site Removal  
Remove Snow - up to 18" Deep - Driveway - With Shovel - up to 400 SF or 2 car - Does Not Include Off Site Removal  
Remove Snow - up to 3" Deep - Driveway - With Shovel - Each Additional 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 6" Deep - Driveway - With Shovel - Each Additional 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 12" Deep - Driveway - With Shovel - Each Additional 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 18" Deep - Driveway - With Shovel - Each Additional 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 3" Deep - Driveway - With Snow Blower - up to 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 6" Deep - Driveway - With Snow Blower - up to 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 12" Deep - Driveway - With Snow Blower - up to 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 18" Deep - Driveway - With Snow Blower - up to 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 3" Deep - Driveway - With Snow Blower - up to 400 SF or 2 car - Does Not Include Off Site Removal  
Remove Snow - up to 6" Deep - Driveway - With Snow Blower - up to 400 SF or 2 car - Does Not Include Off Site Removal  
Remove Snow - up to 12" Deep - Driveway - With Snow Blower - up to 400 SF or 2 car - Does Not Include Off Site Removal  
Remove Snow - up to 18" Deep - Driveway - With Snow Blower - up to 400 SF or 2 car - Does Not Include Off Site Removal  
Remove Snow - up to 3" Deep - Driveway - With Snow Blower - Each Additional 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 6" Deep - Driveway - With Snow Blower - Each Additional 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 12" Deep - Driveway - With Snow Blower - Each Additional 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 18" Deep - Driveway - With Snow Blower - Each Additional 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 6" Deep - Driveway - With Plow - up to 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 12" Deep - Driveway - With Plow - up to 200 SF or 1 car - Does Not Include Off Site Removal

# New Repairbase Line Item additions for the 01-01-2012 Update

---

Remove Snow - up to 18" Deep - Driveway - With Plow - up to 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 6" Deep - Driveway - With Plow - up to 400 SF or 2 car - Does Not Include Off Site Removal  
Remove Snow - up to 12" Deep - Driveway - With Plow - up to 400 SF or 2 car - Does Not Include Off Site Removal  
Remove Snow - up to 18" Deep - Driveway - With Plow - up to 400 SF or 2 car - Does Not Include Off Site Removal  
Remove Snow - up to 6" Deep - Driveway - With Plow - Each Additional 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 12" Deep - Driveway - With Plow - Each Additional 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 18" Deep - Driveway - With Plow - Each Additional 200 SF or 1 car - Does Not Include Off Site Removal  
Remove Snow - up to 18" Deep - Flat Roof - up to 500 SF - With Shovel  
Remove Snow - up to 18" Deep - Flat Roof - up to 1000 SF - With Shovel  
Remove Snow - up to 18" Deep - Flat Roof - up to 1500 SF - With Shovel  
Remove Snow - up to 18" Deep - Flat Roof - up to 2000 SF - With Shovel  
Remove Snow - up to 18" Deep - Flat Roof - Each Additional 500 SF (Over 2000 SF) - With Shovel  
Remove Snow - up to 18" Deep - 1 Story - up to 500 SF - Roof Rake From Ground/Ladder  
Remove Snow - up to 18" Deep - 1 Story - up to 1000 SF - Roof Rake From Ground/Ladder  
Remove Snow - up to 18" Deep - 1 Story - up to 1500 SF - Roof Rake From Ground/Ladder  
Remove Snow - up to 18" Deep - 1 Story - up to 2000 SF - Roof Rake From Ground/Ladder  
Remove Snow - up to 18" Deep - 2 Story - up to 500 SF - Roof Rake From Ground/Ladder  
Remove Snow - up to 18" Deep - 2 Story - up to 1000 SF - Roof Rake From Ground/Ladder  
Remove Snow - up to 18" Deep - 2 Story - up to 1500 SF - Roof Rake From Ground/Ladder  
Remove Snow - up to 18" Deep - 2 Story - up to 2000 SF - Roof Rake From Ground/Ladder  
Remove Snow - up to 18" Deep - Pitched Roof - Each Additional 500 SF (Over 2000 SF) - Roof Rake From Ground/Ladder  
Apply anti slipping agent - Granulated - Same Visit as Snow Removal - By Hand - up to 100 SF  
Apply anti slipping agent - Granulated - Individual Visit - By Hand - up to 100 SF  
Apply anti slipping agent - Liquid De-Icer - Same Visit As Snow Removal - By Hand - up to 100 SF  
Apply anti slipping agent - Liquid De-Icer - Individual Visit - By Hand - up to 100 SF

# New Repairbase Line Item additions for the 01-01-2012 Update

---

## *Extermination – New Category & Sub Categories*

Exterminate - Termites - Chemical Termiticide - up to 200 LF - No Concrete Drilling Required (Perimeter Soil Treatment By Trenching/Rodding)  
Exterminate - Termites - Chemical Termiticide - up to 200 LF - Light Concrete Drilling Required (Perimeter Soil Treatment By Trenching/Rodding)  
Exterminate - Termites - Chemical Termiticide - up to 200 LF - Heavy Concrete Drilling Required (Perimeter Soil Treatment By Trenching/Rodding)  
Exterminate - Termites - Bait Pods (In Ground Toxicant laced Bait Stations) - Install Monitoring Station (Wood Bait) Only At This Time  
Exterminate - Termites - Bait Pods (In Ground Toxicant laced Bait Stations) - add Toxicant-Laced bait To Previously Installed Bait Station  
Exterminate - Termites - Fumigation Single Story - Up To 1250 SF - Tent Property And Release Lethal Gas Inside Tented Area  
Exterminate - Termites - Fumigation 2 Story - Up To 1250 SF - Tent Property And Release Lethal Gas Inside Tented Area  
Exterminate - Termites - Fumigation Single Story - Over 1250 SF - Each Additional SF - Tent Property And Release Lethal Gas Inside Tented Area  
Exterminate - Termites - Fumigation 2 Story - Over 1250 SF - Each Additional SF - Tent Property And Release Lethal Gas Inside Tented Area  
Exterminate - Rodents - Mice - Snap Traps - Initial Set Up - Up To 10 Traps - Does Not Include Removal of Traps  
Exterminate - Rodents - Mice - Snap Traps - Clean Up/Disposal - Up To 10 Traps - Includes Proper Disposal  
Exterminate - Rodents - Rats - Snap Traps - Initial Set Up - Up To 10 Traps - Does not Include Removal of Traps  
Exterminate - Rodents - Rats - Snap Traps - Clean Up/Disposal - Includes Proper Disposal  
Exterminate - Rodents - Rats - Tamper Resistant Bait Stations - Initial Set Up  
Exterminate - Rodents - Rats - Tamper Resistant Bait Stations - Clean Up/Disposal  
Exterminate - Winged Pests - Honey Bees - Lethal Spray  
Exterminate - Winged Pests - Paper Wasp - Lethal Spray/Nest Removal  
Exterminate - Winged Pests - Hornet - Lethal Spray/Nest Removal  
Exterminate - Fleas/Ticks/Bed Bugs and Other General Insects - fogger - One Room up to 6,000 CF  
Remove Live Animal - Small (1 -35 Lbs) - Non Dangerous/Poisonous - Local release Only  
Remove Live Animal - Medium (36 -100 Lbs) - Non Dangerous/Poisonous - Local Release Only  
Remove Live Animal - Large (101 -300 Lbs) - Non Dangerous/Poisonous - Local Release Only  
Remove Live Animal - Extra Large (301 -1000 Lbs) - Non Dangerous/Poisonous - Local Release Only  
Remove Live Animal - Small (1 -35 Lbs) - Non Dangerous/Poisonous - Transport/Release up to 100 miles Away  
Remove Live Animal - Medium (36 -100 Lbs) - Non Dangerous/Poisonous - Transport/Release up to 100 Miles Away  
Remove Live Animal - Large (101 -300 Lbs) - Non Dangerous/Poisonous - Transport/Release up to 100 Miles Away

# New Repairbase Line Item additions for the 01-01-2012 Update

---

Remove Live Animal Extra Large (301 -1000 Lbs) - Non Dangerous/Poisonous - Transport/Release up to 100 Miles Away  
Remove And Dispose of Small (1 -35 Lbs) Dead Animal from - Interior of Structure - Easily Accessible  
Remove And Dispose of Medium (36 -100 Lbs) Dead Animal from - Interior of Structure - Easily Accessible  
Remove And Dispose of Large (101 -300 Lbs) Dead Animal from - Interior of Structure - Easily Accessible  
Remove And Dispose of Extra Large (301 -1000 Lbs) Dead Animal from - Interior of Structure - Easily Accessible  
Remove And Dispose of Small (1 -35 Lbs) Dead Animal from - Interior of Structure - In Attic or Crawl Space  
Remove And Dispose of Medium (36 -100 Lbs) Dead Animal from - Interior of Structure - In Attic or Crawl Space  
Remove And Dispose of Large (101 -300 Lbs) Dead Animal from - Interior of Structure - In Attic or Crawl Space  
Remove And Dispose of Small (1 -35 Lbs) Dead Animal from - Exterior of Structure - Easily Accessible  
Remove And Dispose of Medium (36 -100 Lbs) Dead Animal from - Exterior of Structure - Easily Accessible  
Remove And Dispose of Large (101 -300 Lbs) Dead Animal from - Exterior of Structure - Easily Accessible  
Remove And Dispose of Extra Large (301 -1000 Lbs) Dead Animal from - Exterior of Structure - Easily Accessible

## *Doors and Windows -*

Remove - Interior door - Single  
Re-Hang - Interior Door - Single  
Remove - Exterior Door - Single  
Re-Hang - Exterior Door – Single  
Remove - Interior Door - Double  
Re-Hang - Interior Door – Double  
Remove - Exterior Door - Double  
Re-Hang - Exterior Door – Double  
Remove - Sliding Patio Door - up to 8'  
Re-Hang - Sliding Patio Door - up to 8'  
Replace - Window Well Cover - Rectangular – Small  
Replace - Window Well Cover - Rectangular – Medium  
Replace - Window Well Cover - Rectangular – Large  
Replace - Window Well Cover – Round

# New Repairbase Line Item additions for the 01-01-2012 Update

---

Re-Seal Exterior Window - up to 10 LF

Re-Seal Exterior Window - up to 20 LF

Re-Seal Exterior Door - Single - Standard Height - up to 3' Wide

Re-Seal Exterior Door - Double - Standard Height - up to 8' Wide

Re-Seal Exterior Door - Slider - Standard Height - up to 8' Wide

## *Boarding and Remove Boarding -*

Board up Door - Garage – Single

Board up Door - Garage – Double

De Board Window - Small - to 6 S.F. - Does Not Include Disposal

De Board Window - Medium - to 12 S.F. - Does Not Include Disposal

De Board Window - Large - to 18 S.F. - Does Not Include Disposal

De Board Window - Extra Large - to 28 S.F. - Does Not Include Disposal

De Board Door - Single Door Opening - Does Not Include Disposal

De Board Door - Double Door Opening - Does Not Include Disposal

De board garage Door - Single Car - Does Not Include Disposal

De board garage Door - Double Car - Does Not Include Disposal

## *AC Units -*

Cover A.C. Unit Using Fitted Woven Thermal Cover - Small 24L" X 24W" X 36"H

Cover A.C. Unit Using Fitted Woven Thermal Cover - Medium 36L" x 36W" X 36"H

Cover A.C. Unit Using Fitted Woven Thermal Cover - Large 48L" x 48W" X 48"H

Cover A.C. Unit Using Fitted Woven Thermal Cover - Round 56"C X 48"H

# New Repairbase Line Item additions for the 01-01-2012 Update

---

## *House Numbers -*

Replace House Numbers - Standard 5 1'2" Tall - up to 3 Numbers/Letters

Replace House Numbers - Standard 5 1'2" Tall - up to 6 Numbers/Letters

Replace House Numbers - Standard 5 1'2" Tall - Each Additional Number/Letter

## *Mobile and Modular Skirting -*

Remove - Mobile Home Skirting – Aluminum

Remove - Mobile Home Skirting – Vinyl

Remove - Mobile Home Skirting - Top Mounting Track

Remove - Mobile Home Skirting - Bottom Mounting Track

Replace - Mobile Home Skirting - Aluminum Panels

Replace - Mobile Home Skirting - Vinyl Panels

Replace - Mobile Home Skirting - Vinyl - Top mounting Track

Replace - Mobile Home Skirting - Aluminum - Top Track

Replace - Mobile Home Skirting - Vinyl - Top Decorative Track

Replace - Mobile Home Skirting - Vinyl - Bottom Mounting Track

Replace - Mobile Home Skirting - Aluminum - Bottom Mounting Track

## *Securing Pools -*

Secure In-Ground Swimming Pool - Including Heavy Duty 2x6 Framed Cover with Wire Mesh - up to 400 S.F.

Secure In-Ground Swimming Pool - Including Heavy Duty 2x6 Framed Cover with Wire Mesh - up to 600 S.F.

Secure In-Ground Swimming Pool - Including Heavy Duty 2x6 Framed Cover with Wire Mesh - up to 800 S.F.

Secure In-Ground Swimming Pool - Including Heavy Duty 2x6 Framed Cover with Wire Mesh - up to 1200 S.F.

Secure In-Ground Swimming Pool - With Heavy Duty 2x6 Framed Cover with Wire Mesh - Per S.F. - Cover Only

# New Repairbase Line Item additions for the 01-01-2012 Update

---

## *Perimeter Grass Cuts-*

- Perimeter Grass Cut - Standard - up to 12 " Tall and up to 5,000 S.F.
- Perimeter Grass Cut - Standard - up to 12" Tall and for Each Additional 1,000 S.F.
- Perimeter Grass Cut - Tall - from 12" to 24" Tall and up to 5,000 S.F.
- Perimeter Grass Cut - Tall - from 12" to 24" Tall and for Each Additional 1,000 S.F.
- Perimeter Grass Cut - Very Tall - from 24" to 36" Tall and up to 5,000 S.F.
- Perimeter Grass Cut - Very Tall - from 24" to 36" Tall and for Each Additional 1,000 S.F.
- Perimeter Grass Cut - Extremely Tall - from 36" to 48" Tall and up to 5,000 S.F.
- Perimeter Grass Cut - Extremely Tall - from 36" to 48" Tall and for Each Additional 1,000 S.F.
- Perimeter Re-Cut Lawn - up to 5000 S.F.
- Perimeter Re-Cut Lawn - Each Additional 1,000 S.F.

## *Roof Tarping - Changes*

- Tarp Roof - up to 200 S.F. - 1 Story - Moderate Pitch Roof - Minimum Charge
- Tarp Roof - up to 400 S.F. - 1 Story - Moderate Pitch Roof
- Tarp Roof - up to 800 S.F. - 1 Story - Moderate Pitch Roof
- Tarp Roof - up to 1400 S.F. - 1 Story - Moderate Pitch Roof
- Tarp Roof - Over 1400 S.F. - Per S.F. - 1 Story - Moderate Pitch Roof
- Tarp Roof Dormer - Per Dormer - 1 Story - Moderate Pitch Roof
- Tarp Roof - up to 200 S.F. - 2 Story - Moderate Pitch Roof - Minimum Charge
- Tarp Roof - up to 400 S.F. - 2 Story - Moderate Pitch Roof
- Tarp Roof - up to 800 S.F. - 2 Story - Moderate Pitch Roof
- Tarp Roof - up to 1400 S.F. - 2 Story - Moderate Pitch Roof
- Tarp Roof - Over 1400 S.F. - Per S.F. - 2 Story - Moderate Pitch Roof
- Tarp Roof Dormer - Per Dormer - 2 Story - Moderate Pitch Roof
- Tarp Roof - up to 200 S.F. - 1 Story - Steep Pitch Roof - Minimum Charge
- Tarp Roof - up to 400 S.F. - 1 Story - Steep Pitch Roof



# New Repairbase Line Item additions for the 01-01-2012 Update

## *Roof Tarping - Changes Continued*

Tarp Roof - up to 800 S.F. - 1 Story - Steep Pitch Roof

Tarp Roof - up to 1400 S.F. - 1 Story - Steep Pitch Roof

Tarp Roof - Over 1400 S.F. - Per S.F. - 1 Story - Steep Pitch Roof

Tarp Roof Dormer - Per Dormer - 1 Story - Steep Pitch Roof

Tarp Roof - up to 200 S.F. - 2 Story - Steep Pitch Roof - Minimum Charge

Tarp Roof - up to 400 S.F. - 2 Story - Steep Pitch Roof

Tarp Roof - up to 800 S.F. - 2 Story - Steep Pitch Roof

Tarp Roof - up to 1400 S.F. - 2 Story - Steep Pitch Roof

Tarp Roof - Over 1400 S.F. - Per S.F. - 2 Story - Steep Pitch Roof